

EXHIBITION BOOTH ALLOCATION


The following rules have been established to facilitate a seamless allocation of exhibition booths and to enhance the overall security and experience at the EULAR 2024 Congress.

A minimum of 36 sqm is required to purchase an exhibition space.

Exhibition Booth Size Investment*:

Intended Booth size purchase	Possible space to consider	Booth Location
36 - 60 sqm	Any 60 sqm booths	A2, A10, D2, D10
61 - 80 sqm	80 sqm booths	A4, A5, A7, A8, A9, D4, D5, D7, D8, D9
81 - 100 sqm	80 sqm booths <i>Possible to extend up to 100 sqm</i>	A1, D1
	Any 100 sqm booths	B4, B5, C4, C5
101 - 150 sqm	Any 150 sqm booths	A6, D6
151 - 200 sqm	Combine 2x 80 sqm booths <i>Possible to combine them by purchasing the pathway (10x3m) between the booths</i>	A4, A5, A7, A8, A9, D4, D5, D7, D8, D9
	Any 200 sqm space	B1, B2, C1, C2
201 - 240 sqm	Combine 2x 100 sqm booths <i>Possible to combine them by purchasing the pathway (3x10m) between the booths</i>	B4+B5 or C4+C5
	Any 240 sqm space	A3, B3, C3, D3
241 - 300 sqm	Combine 1x 240 sqm with 1x 60 sqm <i>Possible to increase the size of these spaces to</i>	A2+A3 or D2+D3
301 sqm or more	Any 2x 200 sqm booths <i>Possible to combine them by purchasing the pathway (20x3m) between the booths</i>	B1+B2 or C1+C2

**Exceptions may arise depending on the specific requirements of the corporate and the availability of remaining booths.*



Pathway Requirement:

For safety and security reasons, a clear pathway of 1.5 meters is required through the purchased exhibition booth area of 200 sqm or more.

If the booth is 400 sqm or more, a pathway of either 2x 1.5 meters or 1x 3 meters will be required.

Booth Allocation:

If the corporate decides to merge two booths (based on the options in the table, page 1), the investment can be executed in one sales allocation round.

If the corporate is investing in two separate booths that are not next to each other, the intended investments will have to be done over 2 sales rounds.